

Serial No. 10/767,541

Filing Date: January 29, 2004

Amendment and Response to Office Action of November 16, 2006

Page 2 of 21

AMENDMENTS TO THE SPECIFICATION

On page 16, at the end of line 14, amend the table as follows:

Nominal Denier	1000	1300	1500
Nominal Decitex	1100	1440	1670
Filament Count	328	420	484/492
Luster	Bright	Bright	Bright
Tenacity (cN/tex)	71.0	71.0	71.0
Tenacity (gm/d)	8.0	8.0	8.0
Breaking Load (N)	78.9	102.7	118.4
Breaking Load (lb)	17.7	23.1	26.6
Elongation @ Break (%)	10.0	9.9	9.8
Elongation @ 45 N (%)	4.7	3.7	3.2
Hot Air Shrinkage @ 177 \pm 6 $^{\circ}$ C	7.0	8.0	8.4